

United States Patent and Trademark Office

9

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	· FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/537,763	06/06/2005	Woong-Sik Kim	2658-0355PUS1	5497
	7590 01/02/200 ART KOLASCH & BI	EXAMINER		
PO BOX 747			WILLIAMS, JOSEPH L	
FALLS CHURCH, VA 22040-0747			ART UNIT	PAPER NUMBER
			2879	
	e e	•	NOTIFICATION DATE	DELIVERY MODE
			01/02/2008	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

mailroom@bskb.com

	Application No.	Applicant(s)		
	10/537,763	KIM, WOONG-SIK		
Office Action Summary	Examiner	Art Unit		
	Joseph L. Williams	2879		
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address		
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D. (35 U.S.C. § 133).		
Status				
Responsive to communication(s) filed on <u>06 Jules</u> This action is FINAL . 2b) ☐ This Since this application is in condition for allowant closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro			
Disposition of Claims	•			
4) Claim(s) 1-8 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw 5) Claim(s) 1-8 is/are allowed. 6) Claim(s) is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or				
9) The specification is objected to by the Examiner				
10) ☐ The drawing(s) filed on <u>06 June 2005</u> is/are: a) Applicant may not request that any objection to the o Replacement drawing sheet(s) including the correcti 11) ☐ The oath or declaration is objected to by the Ex	☐ accepted or b) ☐ objected to drawing(s) be held in abeyance. See lon is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).		
Priority under 35 U.S.C. § 119				
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 				
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 6/05.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ite		

DETAILED ACTION

Specification

1. The title of the invention is not descriptive. A new title is required that is clearly indicative of the invention to which the claims are directed.

Claim Objections

2. Claim 8 is objected to because of the following informalities: The number "146" in line 3 of the claim should be removed. Appropriate correction is required.

Drawings

3. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the "electrode pad portion" must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an

Art Unit: 2879

application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Allowable Subject Matter

4. Claims 1-8 are allowed.

The following is an examiner's statement of reasons for allowance: Regarding independent claims 1 and 5, the prior art of record neither shows nor suggest a rear plate for a plasma display comprised of, in part, electrodes having a specific resistance of 2.5 x 10⁻⁴ – 4 x 10⁻⁴ Ohms cm; a dielectric layer with a dielectric constant of 8-20, a reflectance of 50-80%, an etch rate of 0.03-0.8 microns/min with respect to an inorganic acid, and a thickness of 10-30 microns; barrier ribs having a dielectric constant of 7-18, a reflectance of 40% -70%, an etching rate of 1.0-30.0 microns/minute with respect to an inorganic acid, and a thickness of 100-160 microns; and a phosphor layer having a thickness of 10-30 microns, along with the rest of the limitations of the claim(s).

Due to their dependency, claims 2-4 and 6-8 are necessarily allowable

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

5. This application is in condition for allowance except for the following formal matters:

Please see the above action.

Prosecution on the merits is closed in accordance with the practice under *Ex* parte Quayle, 25 USPQ 74, 453 O.G. 213, (Comm'r Pat. 1935).

A shortened statutory period for reply to this action is set to expire **TWO**MONTHS from the mailing date of this letter.

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joseph L. Williams whose telephone number is (571) 272-2465. The examiner can normally be reached on M-F (6:30 AM-3:00 PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nimeshkumar D. Patel can be reached on (571) 272-2457. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/537,763

Art Unit: 2879

Page 5

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Joseph L. Williams Primary Examiner Art Unit 2879